



中国国家强制性产品认证证书

证书编号：2025300914000007

委托人名称、地址

北京方向华信电子有限公司
北京市门头沟区石龙工业区平安路2号1幢1层102号

生产者（制造商）名称、地址

北京方向华信电子有限公司
北京市门头沟区石龙工业区平安路2号1幢1层102号

生产企业名称、地址

北京方向华信电子有限公司
北京市门头沟区石龙工业区平安路2号1幢1层102号

产品名称和系列、规格、型号

移动电源（V型锂电池）

见附件

产品标准和技术要求

GB 4943.1-2022; GB 31241-2022

上述产品符合强制性产品认证实施规则


CNCA-C09-01:2023的要求，特发此证

发证日期：2025年01月14日 有效期至：2030年01月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持
本证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站(www.cnca.gov.cn)查询



院长：



SMQ 深圳市计量质量检测研究院
Shenzhen Academy of Metrology & Quality Inspection



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

Certificate No : 2025300914000007

NAME AND ADDRESS OF THE APPLICANT

Fxlion Electronic Co., Ltd.

No. 102, 1/F, Building 1, 2 Ping An Road, Shilong Industrial Area, Mentougou District, Beijing, China

NAME AND ADDRESS OF THE MANUFACTURER

Fxlion Electronic Co., Ltd.

No. 102, 1/F, Building 1, 2 Ping An Road, Shilong Industrial Area, Mentougou District, Beijing, China

NAME AND ADDRESS OF THE FACTORY

Fxlion Electronic Co., Ltd.

No. 102, 1/F, Building 1, 2 Ping An Road, Shilong Industrial Area, Mentougou District, Beijing, China

NAME , MODEL AND SPECIFICATION

Power Bank

see appendix

STANDARD AND TECHNICAL REQUIREMENT FOR PRODUCTS

GB 4943.1-2022;GB 31241-2022

This is certified that the above mentioned products have qualified for the requirements of implementation rules for produce certification

(REF NO.CNCA-C09-01 : 2023)

Date of issue : 14/01/2025 Date of expiry : 13/01/2030

Validity of this Certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date

The certificate can be verified through CNCA's website : www.cnca.gov.cn



President: _____



SMQ 深圳市计量质量检测研究院
Shenzhen Academy of Metrology & Quality Inspection



中国国家强制性产品认证证书

附件

第1页共1页

证书编号: 2025300914000007

产品型号/规格如下:

型号: BP-300S、BP-250S、BP-190S、BP-160S、BP-130S、BP-100S、AN-300A、AN-250A、AN-190A、AN-1600、AN-100A、BM-HV300、BM-HV200、BM-HV100、BP-HP100、BP-HP600、BP-BV300、BP-BV200、AN-160A、AN-130A、BP-300SL、BP-250SL、BP-190SL、BP-160SL、BP-100SL、AN-300AL、AN-250AL、AN-190AL、AN-130AL、AN-100AL

D-PIN5 输入: 12-16.8VDC 18A;

D-PIN5 输出: 12-16.8VDC 18A;

D-TAP 输出: 12-16.8VDC 18A;

USB-A 输出: 5VDC 2.4A, 9VDC 2A, 12VDC 1.5A

多口总输出: 12-16.8VDC 18A (Max)

注: 此附件与证书同时使用时有效。

院长:



SMQ 深圳市计量质量检测研究院
Shenzhen Academy of Metrology & Quality Inspection